

2026

Information

SUNFLOWER CORPORATION

SINCE 1973



SUNFLOWER
LAMINATES

Photo by | Freepik / Sunflower Corp.



IMAGINE BEYOND

In imagination / every possibility
is already unfolding.



Photo by | kaboompics

ABOUT US

Sunflower Laminates has recently celebrated its 50th year anniversary and is a leading manufacturer, providing decorative design and functional surface solutions for its customers. Throughout the history of the company Sunflower Laminates has consistently introduced new product lines, including, High Pressure Laminates (HPL), Melamine Faced Chipboard (MFC), Postforming HPL, Compact Laminates and other specialist variations of these products.

As the very first HPL manufacturer in Taiwan, its reputation was founded on providing excellent quality products, customer services and to ensure the decorative and surface solutions that meets the needs of its customers' design requirements. In addition, Sunflower became the first ISO9001 accredited producer in the region and was further awarded the "Green Label" certification by the Taiwanese and Singaporean Governments.

Further technical advancements have taken place with the introduction of anti-bacterial and anti-fungal, and fire-retardant laminates. More recently new technologies were introduced that provides a far superior scratch resistant gloss laminate. The latest technology just introduced provides an anti-fingerprint ultra matt finish along with chemical resistance that can be provided in both High Pressure Laminate, Compact Laminates and Melamine Faced Chipboard.



Photo by | Freepik / Sunflower Corp.

Sunflower has several offices positioned strategically throughout Taiwan to comprehensively service the domestic market. In addition, it has a global presence that includes Southeast Asia, Australia, New Zealand and the Middle East. At the same time Sunflower is seeking to build valuable and long-term relationships with reputable distributors to further expand its business activities globally.



CONTENTS

02 / About Us

03 / Contents

04 / Milestone

05 / Competitive Edge

06 / HPL

07 TAO | High Pressure Laminate

08 NEONE | Haptic X Chemical Resistance

10 /
Soft Touch – Ultra Matt finish
Uni-Core – Solid Color Core HPL
Metallic HPL
Postforming HPL

11 /
Anti-Fungal
&
Anti-Bacterial Panels

12 /
MFC | Melamine Faced Chipboard

13 /
SOLID | Compact Board

ABOUT SUNFLOWER

1973

Sunflower Laminates founded and manufacturing polyester plywood for export and domestic markets.

1974

Awarded “Distinguished Exporter” and each subsequent year.

1979

Invested in technology and machinery manufacturing HPL(High Pressure Decorative Laminates) under the brand name “SUNLITE”.

1983

Expanded capacity with a German “Siempelkamp” press commissioned.

1984

Awarded “Golden Chalice” by the Building Materials Commission.

1985

Awarded “Notable Brand” by Central Standards Bureau.

1988

Introduced acrylic solid surface into Taiwan market.

1993

Launched a premium HPL brand “LITESPAL” commemorating 20th anniversary ; commissioned Melamine Faced Chipboard.

1994

Doubled capacity ; second “Siempelkamp” press commissioned along with two “Vits” treaters ; introduced HPL in 1600mm×3660mm and first manufacturer in Asia.

1995

Compact laminate launched ; developed “Anti-Bacterial” HPL for Japanese market.

1996

First ISO 9002 certified HPL producer in Asia.

2002

Certified with ISO 9001.

2004

Certified by Department of Communication of Japan as “F4 Star” (Super E0) grade in HPL and MFC.

2005

Exclusive distributor of Hanex acrylic solid surface and Hanstone quartz.

2009

Awarded “Green Label” for “SUNLITE” HPL and MFC by the Ministry of Interior ; distributor of Dongwha flooring.

2010

Awarded “Green Label” by the Singapore government.

2012

Obtained International Maritime Organization certification.

2015

Introduced Italian “Tocchio” impregnation machines.

2016

Introduced German press “Wemhoner” to manufacture “Lange size MFC” relaunch with a new brand name and an expanded range of designs.

2020

HPL & MFC upgraded to anti-bacterial and anti-fungal, as our “standard offer” on these products.

2021

Developed Fire Retardant grade HPL Composite panel.

2022

Obtained FSC™ certification as a manufacturer. (FSC certified products are available upon request.)

2023

50th Anniversary & the launch



2026

New Surface Finish- Interwoven

OUR VISION ✕

Continuous Improvement

Customer Satisfaction

Product Innovation and Change

Create a Better Future


Sustainably Sourced Materials

NEW


Interwoven Finish



Sources of Paper Materials



Regions of Distribution




WHY SUNFLOWER CORPORATION?

Vertical Integration

Procurement of materials –
Sustainably sourced.

↓
Production-in house
production.

↓
Domestic Logistics-ware-
houses throughout Taiwan.



Complete Design Solutions

Only company in Taiwan to provide complete design
solutions in both HPL and MFC offering the same
colors.

Made in Taiwan by Sunflower Laminates

In House Production in Taiwan.




Four Product Lines

HPL, MFC, Hanex acrylic solid surface
and Hanstone quartz.



Hanex
By Hyundai L&C



HanStone
By Hyundai L&C

Two Stage Impregnation

1st – Resin with Aluminum Oxide providing
superior wear resistance.
2nd Anti bacterial & Anti fungal & customization.






Photo by | Sky Eye League Design

High Pressure Laminates

Sunflower Laminates

Sunflower Laminates combines supreme quality, elegant aesthetics, and outstanding durability. With over 400 designs and 25+ surface finishes, the collection offers endless design possibilities for all spaces.

Engineered with excellent abrasion resistance and enhanced technical performance, Sunflower Laminates provides a reliable decorative surface solution for both residential and commercial spaces.

Applications: shelves, benchtops, ceilings, wall surfaces, door panels, kitchen cabinets, wardrobes, furniture, cabinetry, paneling, and shopfitting.

Standard Size	4' x 8' (1220x2440mm)
Other Size	5'3" x 12' (1600x3660mm) 4'3" x 10' (1300x3050mm) 5' x 8' (1525x2440mm) 5' x 10' (1525x3050mm) 5'3" x 10' (1600x3050mm)
Thickness	0.7mm~1.2mm

Product Features



Application |



Shelves, benchtops, ceilings and wall surfaces, door panels, kitchen cabinets, and wardrobes.

TAO | High Pressure Laminate

Pure consistency, starting from the core.

TAO is designed with a light-colored core, creating a seamless color continuity from the inside out. Even after cutting and fabrication, it maintains visual consistency, allowing every edge, corner, and joint to present a clean, low-contrast appearance. TAO is more than a surface material—it is a design tool that makes lines cleaner and proportions more precise. By reducing visual interruption, TAO allows the space to return to its essence, expressing a unified and restrained aesthetic design.

Reference image



Product Features

- 

Antifungal & Antibacterial
- 

Fire Retardant & Fire Resistant
- 

Easy to Clean
- 

Abrasion Resistance
- 

Easy to Install
- 

Water Repellent
- 

Anti-Stain

Standard Size	4' x 8' (1220x2440mm)
Thickness	0.9mm

Application |
Shelves, benchtop, ceiling and wall surface,
door panels, kitchen cabinets, and wardrobes.

TAO
PRODUCTS



NEONE / HPL & MFC

Revolutionary Materials in Interior Design

NEONE by Sunflower is a next-generation decorative surface engineered with acrylic overlay and Electron Beam Curing technology. Combining ultra-matt aesthetics, velvety touch, chemical resistance, abrasion resistance, antibacterial protection, and anti-fingerprint performance, NEONE delivers both refined beauty and advanced durability. Available in HPL and color-matched MFC, it enables seamless design integration across walls, cabinetry, panels, and high-performance interior spaces.

Product Features



High Abrasion Resistance



Anti-Finger Print



High Chemical Resistance




Antifungal and Antibacterial



Food Contact Regulation



High Durability



NEONE HPL	4' x 8' (1220x2440mm) 5'3" x 12' (1600 x 3660 mm)
Thickness	1.0 mm

NEONE MFC	7' x 9' (2100 x 2850 mm)
Thickness	8 mm, 18 mm, 25 mm
More thickness options are available upon request. Please contact us.	

Application |
Comprehensive design solutions for walls, vertical panels, shelving, doors, worktops, cabinetry, partitions, and more.



Photo by | Raffles Medical HCMC by Kingsmen Vietnam

HPL / Certifications

- ISO 9001:2015
- CNS 11366
- BS EN 438(UK&EEC countries)
- NEMA LD3-1995
- GB 50222-95 (China)
- Green Building Material mark by Architecture and Building Research Institute
- International Maritime Organization
- Green Label (Singapore)
- Antifungal Grade - ASTM G21 (excl. Metallic HPL)
- Antibacterial Grade - JIS Z 2801 (independent test results) (excl. Metal)
- Department of Communication of Japan as "F☆☆☆☆" (Super E0) classification
- MIT smile certification (Made in Taiwan)




Special Grade High Pressure Laminate Technical Specifications (excl.Metallic HPL)

- Fire Retardant Grade - CNS7614
- GB 18580-2001 (China)
- Fire Resistant Grade-1 CNS-14705-1 (Composite Material)
- ASTM related tests



Product Features



Antifungal &
Antibacterial



Fire Retardant &
Fire Resistant



Easy to Clean



Abrasion
Resistance



Easy to Install



Water Repellent



Anti-Stain

Texture as a Design Language



Woven



Wood Grain



Stone Pattern



Solid Color



Rendered Scene



Catalog



Projects

Ultra Touch - Ultra Matt finish

Sunflower has developed its own "Surface Delivery Technology" to produce an anti-fingerprint laminate that is soft to touch and is anti-glare. Sunflower is the first to introduce this as post formable which makes it unique. It provides a very soft, tactile and natural look when used on woodgrain and marble designs and in fact on any color within the Sunflower range.



Ultra Matt

Metallic HPL

Metallic HPL is manufactured using an actual aluminum layer over treated papers. It is an effective way of achieving a metallic look without the associated costs of solid aluminium. As the aluminium foil is treated with a melamine resin it provides a light scratch resistance. Because it is made as HPL it is easy to fabricate and install with normal woodworking tools. Sunflower provides a wide range of colors to choose from that includes rose gold, bronze, grey, gold and brushed aluminium.



Metal

Postforming HPL

Sunflower postforming laminates enables an additional design element that can provide the forming of the laminate to achieve that soft curve on an edge. It can be used both horizontally and vertically. Choose from HPL the range of designs.

Uni - Core - Solid Color Core HPL

Uni - Core provides a homogeneous solid color, having the same color on the decorative surfaces as the core. This provides a look of perfect uniformity and is visually seamless without the black lines of normal HPL. It can provide unique design possibilities for your project and is ideal for countertops, reception areas, desks and anywhere that requires that creative elements.

Standard Size: 4' x 8' (1220x2440mm)

Thickness: 1.6mm

Surface Finishes: Texture, Gloss



Translucent



Surface Finishes



Sunflower Laminates



Photo Credit: © WELL GAIN DESIGN



Photo Credit: © Sunflower Corp.



Photo Credit: © Sunflower Corp.

Sunflower Nano Anti-Fungal & Anti-Bacterial Panels

Applicable Brands : Sunflower Laminates, TAO, NEONE, Sunflower MFC (*Anti-Bacterial Only*)

Sunflower integrates nano anti-fungal and anti-bacterial technology across its decorative panel collections, providing long-lasting hygiene protection without compromising design aesthetics.

During the paper impregnation process, zinc ion-based agents are embedded within the decorative layer, delivering durable protection that remains effective through daily use and regular cleaning. Zinc ions are more commonly used in Europe and the United States, as there are researches indicate that silver ions are considered to have potential risks to human health.

Certified Performance

- JIS Z 2801(Independent Test Results)
- ASTM G21

Key Benefits

- Anti-Fungal (HPL only)
- Anti-Bacterial • Long-Lasting Protection
- Easy to Clean
- Suitable for High-Hygiene Environments



Photo by | Delicacy Impression Marketing CO.,LTD.



Photo by | Freepik / Sunflower Corp.

Ideal Applications

- Healthcare Environments
- Educational Facilities
- Hospitality Spaces
- Food Preparation Areas
- Laboratories
- High-Traffic Public Areas

Melamine Faced Chipboard |

Integrated Design Solution for Cabinetry

Sunflower MFC / LPL / TFL is a premium composite panel designed for cabinetry, bringing color consistency, cohesive aesthetics, and long-term stability into interior systems. Produced fully in-house by Sunflower—from surface finishes and paper treatment to edge—it creates a unified design solution for residential, commercial, and public spaces. With matching edge bandings and wall panels, Sunflower MFC / LPL / TFL transforms cabinetry from storage into an integrated architectural element.

Core	Particle Board
Standard Size	7' x 9' (2100x2850mm)
Thickness	8mm, 18mm, 25mm
Custom thickness : Available upon request.	

Application |
Residential cabinets, school lockers, hospital and clinic cabinetry, kitchen base cabinets, commercial display cabinets, shelving, countertops, and display platforms.

MFC
PRODUCTS





Certifications

- CNS 2215
- Green Building Material mark by Architecture and Building Research Institute
- JIS Z 2801(Independent Test Results)
- Department of Communication of Japan as "F☆☆☆☆" (Super E0) classification



F☆☆☆☆

Product Features



Antibacterial



Anti-Dirt



Abrasion Resistance



Water Repellent



Easy to Clean

Melamine Decor Paper

Particle board

Melamine Decor Paper






Photo by | Thailand Suvarnabhumi Airport

Compact Board | SOLID Laminates

SOLID Laminates is Sunflower's premium high-pressure compact board. Multiple layers of high-density kraft paper are impregnated with resin, stacked, and thermo-pressed under high temperature and pressure, forming panels with high structural strength, impact resistance, and wear durability.

Both sides can be finished with Sunflower's colors. We offer over 400 patterns—woodgrain, stone, weave, and solid colors, allowing you to fully express your design vision.

Thanks to a dense structure with nearly zero porosity, SOLID features excellent water resistance, moisture resistance, and easy cleaning, making it ideal for high-humidity, high-traffic environments, such as public showers and commercial partitions.

Product Features



Abrasion Resistance



Water Repellent



Impact Resistance



Moisture Proof



Easy to Clean

Available Sizes /

Standard Size	4'×6' (1220×1830 mm)
	4'×8' (1220×2440 mm)
	4'3"×10' (1300×3050 mm)
Large size	5'×8' (1525×2440 mm)
	5'×10' (1525×3050 mm)
	5'3"×10' (1600×3050 mm)
	5'3"×6' (1600×1830 mm)
	5'3"×12' (1600×3660 mm)
Thickness	3mm –19mm Core Color / Black Core

Application |

Ideal for medium to large-scale spaces requiring durability and long-term performance, including countertops, partitions, lockers, storage cabinets, public showers, bathroom partitions, and commercial interiors.



Sunflower
MFC/LPL/TFL

SPACES THAT BREATHE

We redefine the relationship between people and space. Using materials as our language and light and shadow as our rhythm, we create environments that breathe, are felt, and are filled with life.





Photo by | Prydumano Design on Unsplash

MATERIALS ARE THE MOST HONEST
LANGUAGE OF SPACE.

Sunflower Corporation

Decorative Panels

&

Spatial Aesthetics

We specialize in decorative panel design, blending texture, color, and craftsmanship to create functional and aesthetic spaces.



+886-2-25517700

+886-2-25517280

info@sunflower.com.tw

<http://www.sunflower.com.tw>

Corporate Headquarters

12F, No. 82, Songjiang Road, Taipei, Taiwan

Factory

No. 13, Gongye 5th Rd., Pingzhen Dist., Taoyuan City, Taiwan

Follow us



Photo by |
Prydumano Design on Unsplash

